

SAYRE AREA SCHOOL DISTRICT TECHNOLOGY TIPS

HS CAFÉ PROJECTOR – HOW TO USE THE HSCAFS01 DESKTOP COMPUTER

Purpose

How to use the HS CAFÉ Projector with the HSCAFS01 Desktop Computer.

Hook Ups

The black video cable from the HS CAFÉ Projector needs to be hooked up to the desktop PC (should already be hooked up). One cable goes to the PC monitor and the other cable goes to the black video cable.



The HSCAFS01 Desktop computers needs to have it's network cable hooked up to port 4037.





Bottom port is labeled 4037

Power On Projector

Get the key to the HSCAFE multimedia cart from the High School Principal's Office.

Take out the Dell HS CAFÉ Projector Remote from the second draw (unlock).






Point the remote at the projector on the ceiling and press the power button.

Log in to HSCAFS01

Log in to HSCAFS01 and now you will be able to use the projector.





When Finished

Using the Dell HS CAFÉ Projector Remote, point the remote at the projector on the ceiling and press the power button twice to turn it off

Log out of the HSCAFS01 computer

Place the Dell HS CAFÉ Projector Remote back in the HSCAFÉ multimedia cart and lock it up.

Return the key to the HS Principal's Office.